


LAMA+ MINI





Scan the QR-code for the latest information

□ WH-87 / White / Textured


Suspended LED luminaire for indoor and outdoor industrial applications, comprising:

- Die-cast aluminium housing and cover, polyester powder coat finish ISO 9227/12944 - ISO 9223 (C5)
- Extra clear, toughened, flat glass diffuser
- Glazing diffuser permanently sealed to the housing through high-temperature resistant silicone
- High-transparency polycarbonate optics
- The IP66-rated socket-plug fast connector for mains connection without opening the luminaire. Made in PA66 with silver-plated brass contacts for cables Ø 9 - Ø 12 mm
- Anti-ageing custom moulded silicone sealing gasket(s) with resilient elastic return capacity
- Galvanised steel suspension hooks
- Stainless steel locking hardware
- Stainless steel locking springs for the glass
- EM versions are complete with emergency device that can operate on battery for 1 hour. Product can be used for general or emergency lighting
- Static ON/OFF or dimmable DALI options available
- Design by ROBERTO FIORATO



LAMA+ MINI

Identifying and classifying our optics



LAMA+ MINI S/W

IP66 - IK06

LUMINAIRE WATTAGE (W)	CLASS	ENEC	CRI	KELVIN	OPTIC	BEAM ANGLE	LIGHTSOURCE LUMEN OUTPUT (lm)	LUMINAIRE LUMEN OUTPUT (lm)	COLOUR / FINISH	PART NUMBER	UKCA
Power LED 220-240 V 50/60 Hz											
101	I	-	80	4000	S/W	-	16732	13921,9		3101184	✓
72	I	-	80	4000	S/W	-	12479	10636,4		3101185	✓
50	I	-	80	4000	S/W	-	9195	7721		3101186	✓
35	I	-	80	4000	S/W	-	6690	5963,8		3101187	✓

Power LED - dimmable DALI 220-240 V 50/60 Hz

101	I	-	80	4000	S/W	-	16732	13921,9		3101192	✓
72	I	-	80	4000	S/W	-	12479	10636,5		3101193	✓
50	I	-	80	4000	S/W	-	9195	7721		3101194	✓
35	I	-	80	4000	S/W	-	6690	5963,8		3101195	✓

LAMA+ MINI S/W EM

IP66 - IK06

LUMINAIRE WATTAGE (W)	CLASS	ENEC	CRI	KELVIN	OPTIC	BEAM ANGLE	LIGHTSOURCE LUMEN OUTPUT (lm)	LUMINAIRE LUMEN OUTPUT (lm)	COLOUR / FINISH	PART NUMBER	UKCA
Power LED - emergency 1h - 220-240 V 50/60 Hz											
50	I	-	80	4000	S/W	-	9195	7721		3101750	✓
35	I	-	80	4000	S/W	-	6690	5963		3101751	✓

LAMA+ MINI S/EW

IP66 - IK06

LUMINAIRE WATTAGE (W)	CLASS	ENEC	CRI	KELVIN	OPTIC	BEAM ANGLE	LIGHTSOURCE LUMEN OUTPUT (lm)	LUMINAIRE LUMEN OUTPUT (lm)	COLOUR / FINISH	PART NUMBER	UKCA
Power LED 220-240 V 50/60 Hz											
101	I	-	80	4000	S/EW	-	16732	14765		3101188	✓
72	I	-	80	4000	S/EW	-	12479	11332,3		3101189	✓
50	I	-	80	4000	S/EW	-	9195	8101		3101190	✓
35	I	-	80	4000	S/EW	-	6690	6260,83		3101191	✓

Power LED - dimmable DALI 220-240 V 50/60 Hz

101	I	-	80	4000	S/EW	-	16732	14765		3101196	✓
72	I	-	80	4000	S/EW	-	12479	11332,3		3101197	✓
50	I	-	80	4000	S/EW	-	9195	8101		3101198	✓
35	I	-	80	4000	S/EW	-	6690	6260,8		3101199	✓

LAMA+ MINI S/EW EM

IP66 - IK06

LUMINAIRE WATTAGE (W)	CLASS	ENEC	CRI	KELVIN	OPTIC	BEAM ANGLE	LIGHTSOURCE LUMEN OUTPUT (lm)	LUMINAIRE LUMEN OUTPUT (lm)	COLOUR / FINISH	PART NUMBER	UKCA
Power LED - emergency 1h - 220-240 V 50/60 Hz											
50	I	-	80	4000	S/EW	-	9195	8101		3101754	✓
35	I	-	80	4000	S/EW	-	6690	6260		3101755	✓

LAMA+ MINI ELL

IP66 - IK06

LUMINAIRE WATTAGE (W)	CLASS	ENEC	CRI	KELVIN	OPTIC	BEAM ANGLE	LIGHTSOURCE LUMEN OUTPUT (lm)	LUMINAIRE LUMEN OUTPUT (lm)	COLOUR / FINISH	PART NUMBER	UKCA
Power LED 220-240 V 50/60 Hz											
101	I	-	80	4000	ELL	45°x85°	16732	13944		3105993	✓
72	I	-	80	4000	ELL	45°x85°	12479	10702		3105995	✓
50	I	-	80	4000	ELL	45°x85°	9195	7812		3105997	✓
35	I	-	80	4000	ELL	45°x85°	6690	6037		3106000	✓

Power LED - dimmable DALI 220-240 V 50/60 Hz

101	I	-	80	4000	ELL	45°x85°	16732	13944		3105994	✓
72	I	-	80	4000	ELL	45°x85°	12479	10702		3105996	✓
50	I	-	80	4000	ELL	45°x85°	9195	7812		3105998	✓
35	I	-	80	4000	ELL	45°x85°	6690	6037		3106001	✓

LAMA+ MINI ELL EM

IP66 - IK06

LUMINAIRE WATTAGE (W)	CLASS	ENEC	CRI	KELVIN	OPTIC	BEAM ANGLE	LIGHTSOURCE LUMEN OUTPUT (lm)	LUMINAIRE LUMEN OUTPUT (lm)	COLOUR / FINISH	PART NUMBER	UKCA
Power LED - emergency 1h - 220-240 V 50/60 Hz											
50	I	-	80	4000	ELL	45°x85°	9195	7812		3105999	✓
35	I	-	80	4000	ELL	45°x85°	6690	6037		3106002	✓





Al Basmah Emarat Petrol Station - Dubai - UAE