



Matita

SKETCHING SOFT LINES

Matita is a Bollard in extruded and die-cast aluminium, with a minimal line and characterized by the absence of a cylindrical diffuser, which is instead fixed under the head with silicone glue to guarantee IP tightness.

Available in three heights: h.160mm; h.500mm; h.800mm, led colours 2700K or 3000K and powered at low voltage or with integrated power supply.

The cleaning of the lines and the possibility of reducing the luminance with the use of the black instead of the white conical reflector, make Matita a bollard with multiple uses.

Matita è un bollard in alluminio estruso e pressofuso finito con trattamento di cataforesi e strato di vernice di polvere di poliestere resistente agli ambienti esterni.

Dalla linea minimale, è caratterizzato dall'assenza di un diffusore cilindrico, che è invece fissato sotto la testa con collante siliconico a garanzia della tenuta IP.

Equipaggiato con scheda Mid-power Led 2700K o 3000K e disponibile in tre altezze: h.160mm; h.500mm; h.800mm.

È alimentato a bassa tensione o con alimentatore integrato.


La pulizia delle linee e la possibilità di ridurre la luminanza (possibilità di scegliere la versione con riflettore conico nero) rendono matita un bollard dai molteplici utilizzi.





Matita

h160



Available finishes:



Light Source
Supply

Dimmer
CRI
Electrical Class
IP rating
Application
Diffuser

mid power led
220-240V direct
or 220-240V power supply
included
not
≥80
I, II
65
floor
transparent tempered glass

Power

10We direct / 220-240V
10WLed - 13,5We

Led Colour temp.

2700K/3000K



				lm	white	sand	graphite	aluminium	corten
2700K	220- 240V	I	White Reflector	1094	900331102	900331103	900331104	900331105	900331108
10W@230V			Black Reflector	765	900331112	900331113	900331114	900331115	900331118


				lm	white	sand	graphite	aluminium	corten
3000K	220- 240V	I	White Reflector	1152	900311102	900311103	900311104	900311105	900311108
10W@230V			Black Reflector	806	900311112	900311113	900311114	900311115	900311118

				lm	white	sand	graphite	aluminium	corten
2700K	220- 240V	II	White Reflector	1100	900330012	900330013	900330014	900330015	900330018
10Wled			Black Reflector	880	900330062	900330063	900330064	900330065	900330068
13,5We									

				lm	white	sand	graphite	aluminium	corten
3000K	220- 240V	II	White Reflector	1158	900310012	900310013	900310014	900310015	900310018
10Wled			Black Reflector	926	900310062	900310063	900310064	900310065	900310068
13,5We									

Matita

h500



Available finishes:



Light Source
Supply

Dimmer

CRI
Electrical Class
IP rating
Application
Diffuser

mid power led
220-240V direct
or 220-240V power supply
included
upon request
for power supply version
≥80
I, II
65
floor
transparent tempered glass

Power

Led Colour temp.

10We direct / 220-240V
10WLed - 13,5We
2700K/3000K



				lm	white	sand	graphite	aluminium	corten
2700K	220- 240V	I	White Reflector	1094	900331122	900331123	900331124	900331125	900331128
10W@230V			Black Reflector	765	900331132	900331133	900331134	900331135	900331138


				lm	white	sand	graphite	aluminium	corten
3000K	220- 240V	I	White Reflector	1152	900311122	900311123	900311124	900311125	900311128
10W@230V			Black Reflector	806	900311132	900311133	900311134	900311135	900311138

				lm	white	sand	graphite	aluminium	corten
2700K	220- 240V	II	White Reflector	1100	900330032	900330033	900330034	900330035	900330038
10WLed			Black Reflector	880	900330072	900330073	900330074	900330075	900330078
13,5We									

				lm	white	sand	graphite	aluminium	corten
3000K	220- 240V	II	White Reflector	1158	900310032	900310033	900310034	900310035	900310038
10WLed			Black Reflector	926	900310072	900310073	900310074	900310075	900310078
13,5We									

Matita

h800



Available finishes:



Light Source
Supply

Dimmer

CRI
Electrical Class
IP rating
Application
Diffuser

mid power led
220-240V direct
or 220-240V power supply
included
upon request
for power supply version
≥80
I, II
65
floor
transparent tempered glass

Power

Led Colour temp.

10We direct / 220-240V
10WLed - 13,5We
2700K/3000K




				lm	white	sand	graphite	aluminium	corten
2700K	220- 240V	I	White Reflector	1094	900331142	900331143	900331144	900331145	900331148
10W@230V			Black Reflector	765	900331152	900331153	900331154	900331155	900331158

				lm	white	sand	graphite	aluminium	corten
3000K	220- 240V	I	White Reflector	1152	900311142	900311143	900311144	900311145	900311148
10W@230V			Black Reflector	806	900311152	900311153	900311154	900311155	900311158

				lm	white	sand	graphite	aluminium	corten
2700K	220- 240V	II	White Reflector	1100	900330052	900330053	900330054	900330055	900330058
10Wled			Black Reflector	880	900330082	900330083	900330084	900330085	900330088
13,5We									

				lm	white	sand	graphite	aluminium	corten
3000K	220- 240V	II	White Reflector	1158	900310052	900310053	900310054	900310055	900310058
10Wled			Black Reflector	926	900310082	900310083	900310084	900310085	900310088
13,5We									

ACCESSORIES




Shield 180°

code **9044**



Anchor bolts
Ø117x161mm

code **9009**



2-3 way 3 poles terminal block IP68
62x35x178mm

code **9036**

ACCESSORIES:

code **9044 / 9009 / 9036**